

Form No.: 9B-72.130(5)

August 2003

**Florida Building Commission**  
**Validation Checklist For Local Product Approval**  
**by Method 1 or 2**

- • 1. Verify the submission and completeness of product approval application form.
- • 2. Verify the method of demonstrating compliance is from an entity approved by the Florida Building Commission.
- • 3. Verify submission of the evaluator's certification of independence. Note: Evaluator may be a test lab, certification agency, evaluation entity or Florida Registered Architect or Florida Professional Engineer which produced the test report, certification listing or evaluation report required by Rule 9B-72.040(5).
- • 4. Verify the method of demonstrating compliance is current and has not been suspended, recalled or revoked.
- • 5. Verify the product has not been recalled or revoked by the Florida Building Commission.
- • 6. Verify the Code sections and reference standards for which the evaluation demonstrates compliance.
- • 7. Verify the method of demonstrating compliance indicates any limitations on the use of the product, as intended.
- • 8. Verify manufacturer's installation instructions are provided, if required.
- • 9. Verify that a quality assurance program audited by a Florida Building Commission approved third party quality assurance agency is in place.

**Florida Building Commission**  
**Application for Local Product Approval**

*Note: This application is only for approval by local jurisdictions for the following categories of products: panel walls, exterior doors, roofing, skylights, windows, shutters and structural components or for products comprising a building's envelope introduced as a result of new technology.*

1. Application for Approval by Method 1 / Method 2 (circle one) for the following category of product: \_\_\_\_\_

2. Name of Applicant (Company) NEWTOWN MFG.

3. Mailing Address 55 THYER ST.  
WILKES-BARRE, PA. 18720

4. Telephone No. (570) 825 3675 Fax No. (570) 825 4968

5. E-Mail Address NEWTOWN SLOCOMB@AOL.COM

6. Name and title of applicant's technical representative (if any)  
DON SENNETT

Address (if different from address of applicant)  
—

Telephone No. ( ) — Fax No. ( ) \_\_\_\_\_

E-Mail Address —

Florida Professional Registration No. (if any) —

Florida Professional Firm Registration number (if any) —

7. Name of approved third party quality assurance entity  
NAMI

Address 4655-104 MONTICELLO AVE, WILLIAMSBURG, VA.

Telephone No. (757) 258-8808 Fax No. (757) 258-8815 23188

E-Mail Address www.namicertification.com

Name of authorized representative SHARON DURAND

Florida Professional Registration No. (if any) certification no: 1773

Florida Professional Firm Registration number (if any) validation no: 1786

**Florida Building Commission**  
**Application for Local Product Approval**  
**Page Two**

8. Provide the following information on a separate sheet:

- Product name and model number (if any)
- Name, address, reports, and applicable report numbers of:
  - Testing entity
  - Evaluation entity
  - Certification entity
- List of requirements the product complies with including Code section numbers and reference standards
- List of limitations on product's compliance and use
- Installation instructions for the product

9. Other information

Give any other information that may be of assistance to the local jurisdiction in considering this application. (Attach a separate sheet, if needed.)

---

---

---


10. Name and title of person authorized to sign on behalf of applicant

CARL SLOCOMB - PRESIDENT

Signature Carl P. Slocomb

Date 9/3/03

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005172A  
**DATE:** 09/20/03  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Newtown Mfg  
**CODE:** N-253-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Newtown Manufacturing</b> <b>55 Thayer Street</b> <b>Wilkes-Barre, PA 18702</b>	Series "2300/2500" Picture Window Vinyl Fixed Prime Window O/OG/SIG-1/8" GL/FER  STP PSF Frame: W-5'0"    Lite: W-4'8"    Int-105.0 H-5'0"            H-4'8"    Ext-105.0


SPECIFICATION	PRODUCT RATING
AAMA/NWWDA 101/I.S.2-97/ ASTM F 588-97	F-C70 FER-Grade 10

Product Tested By: Architectural Testing, Inc.  
 Report No: ATI-07-30309.02(Structural/FER)  
 Expiration Date: March 31, 2007

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4655-104 Monticello Avenue  
 Williamsburg, VA 23188  
 TEL: (757) 258-8808  
 FAX: (757) 258-8815

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005173A  
**DATE:** 09/20/03  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Newtown Mfg  
**CODE:** N-253-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Newtown Manufacturing</b> <b>55 Thayer Street</b> <b>Wilkes-Barre, PA 18702</b>	<p style="text-align: center;">Series "2300/2500" Slider</p> <p style="text-align: center;">Vinyl Horizontal Sliding Prime Window</p> <p style="text-align: center;">XX/IG/SIG-1/8" GL/REIN/FER</p> <p style="text-align: right;">STP PSF</p> <p>Frame: W-5'9"    Panel: W-2'11"    Int-60.0</p> <p style="padding-left: 100px;">H-4'0"                    H-3'9"                    Ext-60.0</p>

SPECIFICATION	PRODUCT RATING
<p style="text-align: center;">AAMA/NWDA 101/I.S.2-97/ ASTM F 588-97</p>	<p style="text-align: center;">HS-R40 FER-Grade 10</p>


Product Tested By: Architectural Testing, Inc.  
 Report No: ATI-07-30083.02(Structural/FER)  
 Expiration Date: August 31, 2004

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4655-104 Monticello Avenue  
 Williamsburg, VA 23188  
 TEL: (757) 258-8808  
 FAX: (757) 258-8815

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005173  
**DATE:** 09/20/03  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Newtown Mfg  
**CODE:** N-253-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Newtown Manufacturing 55 Thayer Street Wilkes-Barre, PA 18702	Series "2300/2500" Slider Vinyl Horizontal Sliding Prime Window XX/IG/SIG-1/8" GL/FER  STP PSF Frame: W-5'9" Panel: W-2'11" Int-45.0 H-4'0" H-3'9" Ext-45.0

SPECIFICATION	PRODUCT RATING
AAMA/NWWDA 101/I.S.2-97/ ASTM F 588-97	HS-R30 FER-Grade 10


Product Tested By: Architectural Testing, Inc.  
 Report No: ATI-07-30083.02(Structural/FER)  
 Expiration Date: August 31, 2004

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4655-104 Monticello Avenue  
 Williamsburg, VA 23188  
 TEL: (757) 258-8808  
 FAX: (757) 258-8815

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005172  
**DATE:** 09/20/03  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Newtown Mfg  
**CODE:** N-253-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Newtown Manufacturing</b> <b>55 Thayer Street</b> <b>Wilkes-Barre, PA 18702</b>	Series "2300/2500" Picture Window Vinyl Fixed Prime Window O/OG/SIG-1/8" GL/FER  <div style="text-align: right;"><u>STP PSF</u></div> Frame: W-6'0"    Lite: W-5'8"    Int-60.0 H-6'0"            H-5'8"    Ext-60.0

SPECIFICATION	PRODUCT RATING
<b>AAMA/NWWDA 101/I.S.2-97/</b> <b>ASTM F 588-97</b>	<b>F-C40</b> <b>FER-Grade 10</b>

Product Tested By: Architectural Testing, Inc.  
 Report No: ATI-07-30309.02(Structural/FER)  
 Expiration Date: March 31, 2007

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND**  
**MANAGEMENT INSTITUTE, INC.**

4655-104 Monticello Avenue  
 Williamsburg, VA 23188  
 TEL: (757) 258-8808  
 FAX: (757) 258-8815