



STIRLING & WILBUR
ENGINEERING GROUP
STRUCTURAL ENGINEERS
EB 6482


Project: ALL GLASS, INC.
ORLANDO, FLORIDA
BUTT GLASS STANDARDS
(2001 FBC)

Proj #: W2002-087
Sketch #: SK3 OF 6 By: SW
Date: 06-28-02

V = 120 MPH

PANEL TYPE (B1) : TWO SIDES SUPPORTED:
ENCLOSED STRUCTURE

Stephen Wilbur
06-30-02
STEPHEN WILBUR, PE 42119




MANUFACTURER NAME:

All Glass

OPENING WIDTH

2'-0" 3'-0" 4'-0" 5'-0" 6'-0" 7'-0" 8'-0" 9'-0"



OPENING SIZES BEYOND LIMITS OF HEAVY LINES TO BE REVIEWED ON INDIVIDUAL BASIS.

REQUIRED GLASS PANEL THICKNESS

1. MAXIMUM GLASS SPAN GOVERNED BY MOST RESTRICTIVE OF: MAX GLASS STRESS, OR, MAX DEFLECTION OF 1" AT MID-PANEL.
2. SHADED AREAS DENOTE MID-PANEL DEFLECTION EXCEEDING 1".